

ZYTEL® 70G25EF NC010 (CN)

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/15
7.1	2026/05/25	300000005204	Date of first issue: 2026/05/25

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : ZYTEL® 70G25EF NC010 (CN)

Product code : 000000000027041152

Manufacturer or supplier's details

Company : Celanese (Shanghai) International Trading Co., Ltd

Address : 4560 Jinke Road, Zhangjiang, Pudong
Shanghai, China 201210

Telephone : 86-21-38619288

Emergency telephone number : CHEMTREC International phone number: +1-703-527 3887,
+86 532 8388-9090 (China, 24h)

Recommended use of the chemical and restrictions on use

Recommended use : Plastic processing industry
For industrial use only.

Restrictions on use : For manufacturing and research use only

2. HAZARDS IDENTIFICATION**GHS Classification**

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

This product does not contain any components that require disclosure according to country regulations.

4. FIRST AID MEASURES

ZYTEL® 70G25EF NC010 (CN)

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/15
7.1	2026/05/25	300000005204	Date of first issue: 2026/05/25

- | | |
|---|--|
| If inhaled | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Call a physician. |
| In case of skin contact | : The material is not likely to be hazardous by skin contact, but cleaning the skin after use is advisable.
Cool skin rapidly with cold water after contact with molten material.
Do not peel polymer from the skin.
Obtain medical treatment for thermal burn. |
| In case of eye contact | : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
Call a physician. |
| If swallowed | : No specific intervention is indicated.
Consult a physician if necessary. |
| Most important symptoms and effects, both acute and delayed | : None known. |
| Notes to physician | : Treat symptomatically. |
-

5. FIREFIGHTING MEASURES

- | | |
|--------------------------------------|---|
| Suitable extinguishing media | : Water
Foam
Dry chemical
Carbon dioxide (CO ₂) |
| Specific hazards during firefighting | : Combustible
Large molten masses may ignite spontaneously in air.
Water quenching is good practice.
Minimize the generation and accumulation of dust.
Material in pellet form may accumulate static charge when poured from one container to another.
Failure or malfunction of temperature control systems on processing equipment, such as extruders, may create explosion hazards. |
| Hazardous combustion products | : Hazardous combustion products may include:
Carbon monoxide
carbon dioxide
(see also section 10) |
| Specific extinguishing methods | : Evacuate personnel and keep upwind of fire. |
| Special protective equipment | : Wear self-contained breathing apparatus and protective suit. |

ZYTEL® 70G25EF NC010 (CN)

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/15
7.1	2026/05/25	300000005204	Date of first issue: 2026/05/25

for firefighters

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Avoid breathing dust.
Ensure adequate ventilation.
Spilled material is a slipping hazard.
- Environmental precautions : Do not discharge to streams, ponds, lakes or sewers.
- Methods and materials for containment and cleaning up : Pick up and arrange disposal without creating dust.
Sweep up or vacuum up spillage and collect in suitable container for disposal.
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.

7. HANDLING AND STORAGE

- Advice on safe handling : Open container only in well-ventilated area.
Wash hands thoroughly after handling.
Provide appropriate exhaust ventilation at dryers, machinery and at places where dust or volatiles can be generated.
Do not breathe dust.
Minimize the generation and accumulation of dust.
Pneumatic conveying and other mechanical handling operations can generate combustible dust.
Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.
- Conditions for safe storage : Store in a cool, dry place.
Keep container closed to prevent contamination.
Keep in an area equipped with sprinklers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Dust (inhalable and respirable fraction)	Not Assigned	TWA (Total dust)	50 Million particles per cubic foot	PH OEL
		TWA (Respirable fraction)	15 Million particles per cubic foot	PH OEL
		TWA	3 mg/m3	ACGIH

ZYTEL® 70G25EF NC010 (CN)

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/15
7.1	2026/05/25	300000005204	Date of first issue: 2026/05/25

		(Respirable particulate matter)		
		TWA (Inhalable particulate matter)	10 mg/m3	ACGIH

Engineering measures : General mechanical ventilation is normally adequate but use local exhaust where necessary to maintain exposures below acceptable limits.
Use local exhaust to completely remove vapors and fumes liberated during hot processing from the work area.

Personal protective equipment

Respiratory protection : A respiratory protection program that meets country requirements must be followed whenever workplace conditions warrant respirator use.
Consult the respirator manufacturer to determine the appropriate type of equipment for a given application.
Observe respirator use limitations specified by the manufacturer.
Where there is potential for airborne exposures in excess of applicable limits, wear approved respiratory protection with dust/mist cartridge.

Hand protection
Material : Protective gloves

Remarks : Wear leather or cotton gloves when grinding, sawing, routing, drilling or sanding. When handling hot material, use heat resistant gloves. The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Safety glasses with side-shields

Skin and body protection : Protective suit
If there is a potential for contact with hot/molten material wear heat resistant clothing and footwear.

Hygiene measures : General industrial hygiene practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : pellets

Colour : natural colour

Odour : none

ZYTEL® 70G25EF NC010 (CN)

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/15
7.1	2026/05/25	300000005204	Date of first issue: 2026/05/25

pH	:	Not applicable
Melting point/ range	:	> 200 °C
Boiling point/boiling range	:	Not applicable
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form combustible dust concentrations in air during processing, handling or other means.
Upper explosion limit / Upper flammability limit	:	Not applicable
Lower explosion limit / Lower flammability limit	:	Not applicable
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	> 1
Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n-octanol/water	:	Not applicable
Decomposition temperature	:	> 340 °C Thermal decomposition of the resin accelerates above temperature listed. Decomposition can occur below the recommended processing temperature limit. Decomposition is a function of both processing temperature and time at that temperature.
Viscosity Viscosity, dynamic	:	Not applicable
Viscosity, kinematic	:	Not applicable

10. STABILITY AND REACTIVITY

Reactivity	:	Stable at normal ambient temperature and pressure.
Chemical stability	:	Stable at normal ambient temperature and pressure.

ZYTEL® 70G25EF NC010 (CN)

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/15
7.1	2026/05/25	300000005204	Date of first issue: 2026/05/25

Possibility of hazardous reactions	:	Polymerization will not occur.
Conditions to avoid	:	Temperature > 340 °C Avoid prolonged exposure at or above the recommended processing temperatures. Decomposes on heating. At temperatures above the "conditions to avoid" temperature, thermal decomposition of the resin accelerates. Decomposition can occur below the recommended processing temperature limit. Decomposition is a function of both processing temperature and time at that temperature.
Incompatible materials	:	Strong acids Strong bases Strong oxidizing agents
Hazardous decomposition products	:	Hazardous thermal decomposition products may include: Nitrogen oxides (NOx) traces of hydrogen cyanide Ammonia Aldehydes Cyclopentanone carbon dioxide Carbon monoxide

11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Not classified due to lack of data.

Skin corrosion/irritation

Not classified due to lack of data.

Serious eye damage/eye irritation

Not classified due to lack of data.

Respiratory or skin sensitisation**Skin sensitisation**

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

ZYTEL® 70G25EF NC010 (CN)

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/15
7.1	2026/05/25	300000005204	Date of first issue: 2026/05/25

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

Further information**Product:**

Remarks : No data is available on the product itself.

12. ECOLOGICAL INFORMATION**Ecotoxicity**

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects**Product:**

Additional ecological information : No data is available on the product itself.

Endocrine disrupting properties

No data available

13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Preferred options for disposal are recycling or incineration with energy recovery.
The high fuel value of this product makes incineration very desirable for material that cannot be recycled.
Treatment, storage, transportation, and disposal must be in accordance with applicable federal, state/provincial, and local regulations.
Should not be released into the environment.

ZYTEL® 70G25EF NC010 (CN)

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/15
7.1	2026/05/25	300000005204	Date of first issue: 2026/05/25

14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

Not regulated as a dangerous good

UN number	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
Environmentally hazardous	: no

IATA-DGR

Not regulated as a dangerous good

UN/ID No.	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
Packing instruction (cargo aircraft)	: Not applicable
Packing instruction (passenger aircraft)	: Not applicable

IMDG-Code

Not regulated as a dangerous good

UN number	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
EmS Code	: Not applicable
Marine pollutant	: Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Remarks	: Not classified as dangerous in the meaning of transport regulations.
---------	--

15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Priority Chemical List (PCL)	: Not applicable
Chemical Control Order (CCO)	: Not applicable

ZYTEL® 70G25EF NC010 (CN)

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/15
7.1	2026/05/25	300000005204	Date of first issue: 2026/05/25

16. OTHER INFORMATION

Revision Date : 2026/05/25

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
PH OEL	: Philippines. Threshold Limit Values For Airborne Contaminants

ACGIH / TWA : 8-hour, time-weighted average

PH OEL / TWA : Time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe

SAFETY DATA SHEET



ZYTEL® 70G25EF NC010 (CN)

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/15
7.1	2026/05/25	300000005204	Date of first issue: 2026/05/25

handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

PH / EN