

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

- Trade name GALDEN® HT80

**1.2 Relevant identified uses of the substance or mixture and uses advised against****Uses of the Substance/Mixture**

- Heat transfer medium
- For industrial use only

**1.3 Details of the supplier of the safety data sheet****Company**

Syensqo (Shanghai) International Trading Co., Ltd.  
3966, JINDU RD, XINZHUANG INDUSTRIAL ZONE, MINHANG DISTRICT, SHANGHAI, CHINA 201108  
Tel: +86 21 2350 1000

**E-mail address**

sds.syensqo@syensqo.com

**1.4 Emergency telephone number**

+61 2 8014 4558 [CareChem 24]  
MULTI LINGUAL EMERGENCY NUMBER (24/7)  
Europe/Latin America/Africa: +44 1235 239 670 (UK)  
Middle East/Africa speaking Arabic: +44 1235 239 671 (UK)  
Asia Pacific : +65 3158 1074 (Singapore)  
China : 400 120 6011 (toll-free, access from China only)  
North America : +1 800 424 9300

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Work Health and Safety Regulation 2011**

- Not classified as a Hazardous chemical under the regulation above.

**SUSMP (AU)**

- Not scheduled  
Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical.

**2.2 Label elements****Work Health and Safety Regulation 2011**

- Not labelled as a Hazardous chemical under the regulation above.

**2.3 Other hazards which do not result in classification**

- Thermal decomposition can lead to release of toxic and corrosive gases.

**SECTION 3: Composition/information on ingredients****3.1 Substance**

- Chemical nature Perfluorinated polyethers

**Information on Components and Impurities**

| Chemical name                                         | CAS-No.    | Concentration [%] |
|-------------------------------------------------------|------------|-------------------|
| 1-Propene, 1,1,2,3,3,3-hexafluoro-, oxidized, polymd. | 69991-67-9 | > 99.9            |
| Non-hazardous ingredients *                           |            | Balance           |

\* (Ingredients present at non-hazardous concentrations, according to criteria of SWAC (Australia), and the Hazardous Substances (Classification) Regulations 2001 (New Zealand), based on available information). **Remarks**

- No hazardous ingredients according to the criteria of SWAC (Australia)

**3.2 Mixture**

- Not applicable, this product is a substance.

**SECTION 4: First aid measures****4.1 Description of first aid measures****In case of inhalation**

- Move to fresh air in case of accidental inhalation of fumes from overheating or combustion.
- Oxygen or artificial respiration if needed.

**In case of skin contact**

- Wash off with soap and water.

**In case of eye contact**

- Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
- If eye irritation persists, consult a specialist.

**In case of ingestion**

- Drink 1 or 2 glasses of water.
- Do NOT induce vomiting.
- If symptoms persist, call a physician.

**4.2 Most important symptoms and effects, both acute and delayed****In case of inhalation****Effects**

- No known effect.

**In case of skin contact****Effects**

- Effects of skin contacts may include:
- Redness

**In case of eye contact****Effects**

- Contact with eyes may cause irritation.

- Redness

**In case of ingestion****Symptoms**

- Ingestion may provoke the following symptoms:
- Nausea
- Vomiting
- Diarrhoea

**4.3 Indication of any immediate medical attention and special treatment needed****Notes to physician**

- None

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing media**

- Water
- powder
- Foam
- Dry chemical
- Carbon dioxide (CO<sub>2</sub>)

**Unsuitable extinguishing media**

- None

**5.2 Special hazards arising from the substance or mixture**

- The product is not flammable.
- Not explosive
- In case of fire hazardous decomposition products may be produced such as: Gaseous hydrogen fluoride (HF), Fluorophosgene

**5.3 Advice for firefighters****Special protective equipment for firefighters**

- Wear self-contained breathing apparatus and protective suit.
- When intervention in close proximity wear acid resistant over suit.

**Further information**

- Evacuate personnel to safe areas.
- Approach from upwind.
- Protect intervention team with a water spray as they approach the fire.
- Keep containers and surroundings cool with water spray.
- Keep product and empty container away from heat and sources of ignition.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures****Advice for non-emergency personnel**

- Prevent further leakage or spillage if safe to do so.

**Advice for emergency responders**

- Ensure adequate ventilation.
- Material can create slippery conditions.
- Sweep up to prevent slipping hazard.

- Keep away from open flames, hot surfaces and sources of ignition.

## 6.2 Environmental precautions

- Should not be released into the environment.
- Do not flush into surface water or sanitary sewer system.

## 6.3 Methods and materials for containment and cleaning up

- Soak up with inert absorbent material.
- Suitable material for picking up.
- Dry sand
- Earth
- Shovel into suitable container for disposal.

## 6.4 Reference to other sections

- Refer to protective measures listed in sections 7 and 8.

# SECTION 7: Handling and storage

## 7.1 Precautions for safe handling

- Ensure adequate ventilation.
- Use personal protective equipment.
- Keep away from heat and sources of ignition.
- To avoid thermal decomposition, do not overheat.
- Take measures to prevent the build up of electrostatic charge.
- Clean and dry piping circuits and equipment before any operations.
- Ensure all equipment is electrically grounded before beginning transfer operations.

### Hygiene measures

- Ensure that eyewash stations and safety showers are close to the workstation location.
- When using do not eat, drink or smoke.
- Wash hands before breaks and at the end of workday.
- Handle in accordance with good industrial hygiene and safety practice.

## 7.2 Conditions for safe storage, including any incompatibilities

### Technical measures/Storage conditions

- Keep away from heat and sources of ignition.
- Keep in properly labelled containers.
- Keep away from combustible material.
- Keep away from incompatible products
- Provide tight electrical equipment well protected against corrosion.
- Refer to protective measures listed in sections 7 and 8.

### Packaging material

#### **Suitable material**

- glass
- Plastic materials.

## 7.3 Specific end use(s)

- Contact your supplier for additional information

# SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

- Contains no substances with occupational exposure limit values above their regulatory reporting threshold.

**Threshold limit values of by-products from thermal decomposition:****Components with national occupational exposure limits**

| Components          | Value type             | Value              | Basis                                                                                                       |
|---------------------|------------------------|--------------------|-------------------------------------------------------------------------------------------------------------|
| Hydrogen fluoride   | Peak limit             | 3 ppm<br>2.6 mg/m3 | Australia. Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment |
|                     | Expressed as :Fluorine |                    |                                                                                                             |
| Carbonyl difluoride | TWA                    | 2 ppm<br>5.4 mg/m3 | Australia. Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment |
| Carbonyl difluoride | STEL                   | 5 ppm<br>13 mg/m3  | Australia. Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment |
|                     |                        |                    |                                                                                                             |

**Components with other occupational exposure limits**

| Components          | Value type                                               | Value   | Basis                                   |
|---------------------|----------------------------------------------------------|---------|-----------------------------------------|
| Hydrogen fluoride   | TWA                                                      | 0.5 ppm | USA. ACGIH Threshold Limit Values (TLV) |
|                     | Danger of cutaneous absorption<br>Expressed as :Fluorine |         |                                         |
| Hydrogen fluoride   | C                                                        | 2 ppm   | USA. ACGIH Threshold Limit Values (TLV) |
|                     | Danger of cutaneous absorption<br>Expressed as :Fluorine |         |                                         |
| Carbonyl difluoride | TWA                                                      | 2 ppm   | USA. ACGIH Threshold Limit Values (TLV) |
| Carbonyl difluoride | STEL                                                     | 5 ppm   | USA. ACGIH Threshold Limit Values (TLV) |

**8.2 Exposure controls****Control measures****Engineering measures**

- Provide local ventilation appropriate to the product decomposition risk (see section 10).
- Refer to protective measures listed in sections 7 and 8.
- Apply technical measures to comply with the occupational exposure limits.

**Individual protection measures****Respiratory protection**

- In case of decomposition (see section 10), use an air breathing apparatus with face mask.
- Use only respiratory protection that conforms to international/ national standards.

**Hand protection**

- Wear protective gloves.

***Suitable material***

- Nitrile rubber

- PVC
- Neoprene gloves
- butyl-rubber
- Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

**Eye protection**

- Tightly fitting safety goggles.

**Skin and body protection**

- Wear work overall and safety shoes.

**Hygiene measures**

- Ensure that eyewash stations and safety showers are close to the workstation location.
- When using do not eat, drink or smoke.
- Wash hands before breaks and at the end of workday.
- Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls**

- Dispose of rinse water in accordance with local and national regulations.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

|                                                       |                                                                                                                                  |
|-------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| <b><u>Physical state</u></b>                          | liquid                                                                                                                           |
| <b><u>Colour</u></b>                                  | colourless                                                                                                                       |
| <b><u>Odour</u></b>                                   | odourless                                                                                                                        |
| <b><u>Odour Threshold</u></b>                         | Not applicable                                                                                                                   |
| <b><u>Melting point/freezing point</u></b>            | <u>Melting point/ range:</u><br>Not applicable                                                                                   |
| <b><u>Initial boiling point and boiling range</u></b> | <u>Boiling point/boiling range:</u> 80 °C                                                                                        |
| <b><u>Flammability (solid, gas)</u></b>               | Not applicable                                                                                                                   |
| <b><u>Flammability (liquids)</u></b>                  | The product is not flammable.                                                                                                    |
| <b><u>Flammability/Explosive limit</u></b>            | <u>Lower flammability/explosion limit:</u><br>Not applicable<br><br><u>Upper flammability/explosion limit:</u><br>Not applicable |
| <b><u>Flash point</u></b>                             | The product is not flammable.                                                                                                    |
| <b><u>Auto-ignition temperature</u></b>               | <u>Ignition temperature:</u><br>not auto-flammable, Expert judgement                                                             |
| <b><u>Decomposition temperature</u></b>               | > 290 °C                                                                                                                         |
| <b><u>pH</u></b>                                      | Not applicable                                                                                                                   |
| <b><u>Viscosity</u></b>                               | <u>Viscosity, dynamic</u> : ca. 0.96 mPa.s                                                                                       |

|                                                      |                                                                                                                      |
|------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b><u>Solubility</u></b>                             | <u>Water solubility:</u><br>insoluble<br><br><u>Solubility in other solvents:</u><br>Fluorinated solvents: insoluble |
| <b><u>Partition coefficient: n-octanol/water</u></b> | Not applicable insoluble in water and/or octanol                                                                     |
| <b><u>Vapour pressure</u></b>                        | ca. 139.99 hPa                                                                                                       |
| <b><u>Density</u></b>                                | 1.69 g/cm <sup>3</sup> ( 25 °C)                                                                                      |
| <b><u>Relative density</u></b>                       | 1.68 - 1.72                                                                                                          |
| <b><u>Relative vapor density</u></b>                 | 10 - 15                                                                                                              |
| <b><u>Particle characteristics</u></b>               | <u>Particle size:</u><br>Not applicable                                                                              |
| <b><u>Evaporation rate (Butylacetate = 1)</u></b>    | > 1<br>not determined                                                                                                |
| <b>9.2 Other information</b>                         |                                                                                                                      |
| <b><u>Oxidizing properties</u></b>                   | Not considered as oxidizing                                                                                          |
| <b><u>Impact sensitivity</u></b>                     | Not explosive                                                                                                        |
| <b><u>Molecular weight</u></b>                       | 430 Da<br>Polymer Molar Mass                                                                                         |

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

- No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

- Stable under recommended storage conditions.
- Metals promote and lower decomposition temperature

### 10.3 Possibility of hazardous reactions

- No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

- Avoid to use in presence of high voltage electric arc and in absence of oxygen.
- Keep away from flames.
- To avoid thermal decomposition, do not overheat.

### 10.5 Incompatible materials

- Alkali metals
- Lewis acids (Friedel-Crafts) above 100°C
- Aluminum and magnesium in powder form above 200°C

### 10.6 Hazardous decomposition products

- Gaseous hydrogen fluoride (HF).
- Fluorophosgene

**SECTION 11: Toxicological information****11.1 Information on toxicological effects****Acute toxicity****Acute oral toxicity**

LD50 : > 15,000 mg/kg - Rat , male and female  
Method: OECD Test Guideline 401  
Test substance: Molecular weight ~ 650  
Not classified as hazardous for acute oral toxicity according to GHS.  
No effect observed at this dose or concentration  
Unpublished internal reports

**Acute inhalation toxicity**

LC50 - 4 h ( vapour ) : > 66.6 mg/l - Rat , male and female  
Method: OECD Test Guideline 403  
Test substance: Molecular weight ~ 650  
Not classified as hazardous for acute inhalation toxicity according to GHS.  
No effect observed at this dose or concentration  
Unpublished internal reports

**Acute dermal toxicity**

LD50 : > 5,000 mg/kg - Rat , male and female  
Method: OECD Test Guideline 402  
Test substance: Molecular weight ~ 650  
Not classified as hazardous for acute dermal toxicity according to GHS.  
No effect observed at this dose or concentration  
Unpublished internal reports

**Acute toxicity (other routes of administration)**

No data available

**Skin corrosion/irritation**

Rabbit  
Not classified as irritating to skin.  
Method: OECD Test Guideline 404  
Test substance: Molecular weight ~ 650  
Unpublished internal reports

2 Weeks - Rabbit  
No skin irritation  
Method: Repeated dermal application test.  
Test substance: Molecular weight ~ 650  
Unpublished internal reports

**Serious eye damage/eye irritation**

Rabbit  
Not classified as irritating to eyes  
Method: OECD Test Guideline 405  
Test substance: Molecular weight ~ 650  
Unpublished internal reports

**Respiratory or skin sensitisation**

Buehler Test - Guinea pig  
Does not cause skin sensitisation.  
Method: OECD Test Guideline 406  
Test substance: Molecular weight ~ 650  
Unpublished internal reports

Respiratory sensitisation  
No information available.

**Mutagenicity****Genotoxicity in vitro**

Ames test  
with and without metabolic activation

negative  
Method: OECD Test Guideline 471  
Test substance: Molecular weight ~ 650  
Unpublished internal reports

Chromosome aberration test in vitro  
with and without metabolic activation

negative  
Method: OECD Test Guideline 473  
Test substance: Molecular weight ~ 650  
Unpublished internal reports

**Genotoxicity in vivo**

In vivo micronucleus test - Rat  
male  
Oral  
Method: OECD Test Guideline 474  
Test substance: Molecular weight ~ 650

negative  
Unpublished internal reports

**Carcinogenicity**

No data available

**Toxicity for reproduction and development**

**Toxicity to reproduction/Fertility** No data available

**Developmental Toxicity/Teratogenicity** No data available

**STOT****STOT - single exposure**

The substance or mixture is not classified as specific target organ toxicant, single exposure.

**STOT - repeated exposure** No data available

**Experience with human exposure** No data available

**CMR effects****Mutagenicity**

The product is considered to be non-mutagenic based on an overall assessment of the data from animal and/or in vitro testing.

**Aspiration toxicity**

No data available

**Further information**

Description of possible hazardous to health effects is based on experience and/or toxicological characteristics of several components.

Thermal decomposition can lead to release of toxic and corrosive gases.  
The exposure to decomposition products causes severe irritation of eyes, skin and mucous membranes.

**SECTION 12: Ecological information****12.1 Toxicity****Aquatic Compartment****Acute toxicity to fish**

By analogy

No toxicity at the limit of solubility

**Acute toxicity to daphnia and other aquatic invertebrates**

By analogy

No toxicity at the limit of solubility

**Toxicity to aquatic plants**

No data available

**Toxicity to microorganisms**

No data available

**Chronic toxicity to fish**

No data available

**Chronic toxicity to daphnia and other aquatic invertebrates**

No data available

**12.2 Persistence and degradability****Abiotic degradation**

No data available

**Physical- and photo-chemical elimination**

No data available

**Biodegradation**

No data available

**Degradability assessment**

The product is not considered to be rapidly degradable in the environment

**12.3 Bioaccumulative potential****Partition coefficient: n-octanol/water**

No data available

**Bioconcentration factor (BCF)**

No data available

**12.4 Mobility in soil****Adsorption potential (Koc)**

No data available

**Known distribution to environmental compartments**

No data available

**12.5 Results of PBT and vPvB assessment**

No data available

**12.6 Other adverse effects****Global warming potential**

By analogy

100-year global warming potential: 10,000 estimated

**Ecotoxicity assessment****Short-term (acute) aquatic hazard**

No toxicity at the limit of solubility

**Remarks**

Ecological injuries are not known or expected under normal use.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Product Disposal**

- Can be incinerated, when in compliance with local regulations.
- The incinerator must be equipped with a system for the neutralisation or recovery of HF.
- Dispose of in accordance with local regulations.

**Advice on cleaning and disposal of packaging**

- Empty containers can be landfilled, when in accordance with the local regulations.

**SECTION 14: Transport information****Road and Rail transport – ADG (Australia)**

not regulated

**IMDG**

not regulated

**IATA**

not regulated

Note: The above regulatory prescriptions are those valid on the date of publication of this sheet. Given the possible evolution of transport regulations for hazardous materials, it would be advisable to check their validity with your sales office.

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****Poison Schedule (SUSMP Australia)**

- Not scheduled
- Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical.

**Notification status**

| <b>Inventory Information</b>                                      | <b>Status</b>                                                 |
|-------------------------------------------------------------------|---------------------------------------------------------------|
| United States TSCA Inventory                                      | - Listed as active on the TSCA inventory                      |
| Canadian Domestic Substances List (DSL)                           | - Listed on Inventory                                         |
| Australian Inventory of Industrial Chemicals (AIIC)               | - Listed on Inventory                                         |
| Korea. Korean Existing Chemicals Inventory (KECI)                 | - Listed on Inventory                                         |
| China. Inventory of Existing Chemical Substances in China (IECSC) | - Listed on Inventory                                         |
| Japan. ISHL - Inventory of Chemical Substances                    | - Listed on Inventory                                         |
| Japan. CSCL - Inventory of Existing and New Chemical Substances   | - Listed on Inventory<br>- This substance/mixture can only be |

|                                                                                          |                                                                                                                      |
|------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                                                                                          | imported by Syensqo. Contact Syensqo for further details.                                                            |
| Philippines Inventory of Chemicals and Chemical Substances (PICCS)                       | - Listed on Inventory                                                                                                |
| New Zealand. Inventory of Chemical Substances                                            | - Listed on Inventory                                                                                                |
| Taiwan. Chemical Substance Inventory (TCSI)                                              | - Listed on Inventory                                                                                                |
| EU. European Registration, Evaluation, Authorization and Restriction of Chemical (REACH) | - If product is purchased from Syensqo in Europe it is in compliance with REACH, if not please contact the supplier. |

**SECTION 16: Other information****Key or legend to abbreviations and acronyms used in the safety data sheet**

- C: Ceiling limit
- Peak limit: Exposure standard - peak
- STEL: Exposure standard - short term exposure limit
- TWA: Exposure standard - time weighted average
- ca.: approximately
- ADR: European Agreement on International Carriage of Dangerous Goods by Road.
- ADN: European Agreement on the International Carriage of Dangerous Goods by Inland Waterways.
- RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.
- IATA: International Air Transport Association.
- ICAO-TI: Technical Instructions for Safe Transport of Dangerous Goods by Air.
- IMDG: International Maritime Dangerous Goods.
- TWA: Time weighted average
- ATE: Estimated value of acute toxicity
- EC: European Community number
- CAS: Chemical Abstracts Service.
- LD50: Substance that causes 50% (half) death in the test animals group (Median Fatal Dose).
- LC50: Substance concentration causing 50% (half) death in the test animals group.
- EC50: Effective Concentration of the substance causing the maximum of 50%.
- PBT: Persistent, Bioaccumulative and Toxic substance.
- vPvB: Very Persistent and Very Bioaccumulative.
- GHS/CLP/SEA: Classification, labeling, packaging regulation
- DNEL: Derived No Effect Level
- PNEC: Predicted No Effect Concentration
- STOT: Specific Target Organ Toxicity

**Not all acronyms listed above are referenced in this SDS.**

**Further information**

- Distribute new edition to clients

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. Such information is only given as a guidance to help the user handle, use, process, store, transport, dispose and release the product in satisfactory safety conditions and is not to be considered as a warranty or quality specification. It should be used in conjunction with technical sheets but do not replace them. Thus, the information only relates to the designated specific product and may not be applicable if such product is used in combination with other materials or in any other manufacturing process, unless otherwise specifically indicated. It does not release the user from ensuring he is in conformity with all regulations linked to its activity.